

WEST BENGAL MEDICAL SERVICES CORPORATION LTD

(Wholly Owned by the Government of West Bengal)

CIN:U85110WB2008GC126373 2008-09

Regd. Off. Swasthya Sathi, GN-29, Sector-V, Salt Lake

Phone: 033 40340300 Fax: 033 40340400 email id: info@wbmsc.gov.in

Name of work: Renovation work of the chamber of DDHS (ADMIN), at 2nd floor, B Block, Swasthya Bhawan Building

NOTICE INVITING QUOTATION

Bid Reference No: WBMSCL/ NIT-710/2023 **Dated – 26.12.2023**

Managing Director, West Bengal Medical Services Corporation Limited, Swasthya Sathi, GN-29, Sector-V, Kolkata - 700 091, invites sealed quotation from bonafied soil exploration firm having experience in similar nature of work for the work Renovation work of the chamber of DDHS (ADMIN), at 2nd floor, B Block, Swasthya Bhawan Building". The details may be available at Notice Board of WBMSCL & website www.wbmsc.gov.in and to be submitted (offline) on or before 3:00 P.M. on 03rd January, 2024.

No of Site	1 no.
Estimated amount	Rs. 74,773.00
Bid Security/EMD	The bidder has to deposit earnest money Rs. 1,496 (in the form of DD from a scheduled bank drawn in favour of "West Bengal Medical Services Corporation Ltd" payable at Kolkata).
Security Deposit	10% of the contract amount to be deducted from the Bill for each work.
Releasing of Security Deposit	One year from the date of completion of work
Tender Publication Date	27/12/2023
Last date of Submission of Tender	03/01/2024 Upto 3:00 PM
Date of Opening of Tender Document	03/01/2024 Upto 4:00 PM
Validity of tender	120 days from the date of submission of Tender
Time allowed for completion of Work	15 days
Eligibility of participating bidder	Intending bidders should produce credentials of minimum 01 (one) similar nature of the minimum value of 40% of the estimated amount put to tender for during 5 (five) years prior to the date of issue of this tender notice i.e. not earlier than 31.11.2018
Bid opening Venue	West Bengal Medical Services Corporation Ltd, Swasthya Sathi, GN-29, Sector – V, Salt Lake, Kolkata – 700091.

Prospective bidders are requested to submit the bid in a sealed cover addressed to the Managing Director, West Bengal Medical Services Corporation Ltd, Swasthya Sathi, GN -29 , Sector - V, Salt Lake, Kolkata - 700091 within the stipulated date & time.

Bidders are instructed to submit their bid consisting of two sealed envelope called "Qualifying Bid" & "Financial Bid".

Documents comprising the bid : (Bidders are instructed to submit their bid consisting of two sealed envelope called Qualifying Bid & Financial Bid.)

The Qualifying Bid shall comprise the following:-

- a. PAN No.
- b. GST Registration no.
- c. IT Return acknowledgement for the assessment year 2022-23.
- d. Trade License
- e. Credential

The Financial Bid shall comprise the following:

Applicable Rate Schedules as per printed format on the letter head of the intending bidder.


(Rate must be given in the B.O.Q. (Annexure A) for work provided below, on the letter head of the intending bidder. Rate is inclusive of all taxes, charges in respect of all the sites/location. Any taxes, charges etc shown separately will not be considered. Rate Quote in any other format will be treated as cancelled).

Comparison of financial bid will be based on total amount quoted by the bidder for each work separately.

The intending bidder(s) required to quote the rate (percentage above/below/at par) over the total estimated cost put to tender considering that no escalation and / or price adjustment will be allowed by the department under any circumstances.

A bidder shall have to furnish signed "Financial Bid" on their letter head. The financial bid of only of those bidders will be opened who meet all the requirements of the technical bid.

Failing to fulfil the requirements and eligibility criteria set in the bid document will make the bidders Bid invalid. WBMSCL reserves the right to cancel or reject any or all of the Bids without assigning any reason whatsoever.


Managing Director

Name of Work :
Renovation work of the chamber of DDHS (ADMIN), at 2nd floor, B Block, Swasthya Bhawan Building

B.O.Q.					
Sl. No.	Description of Item	Unit	Quantity	Rate (Incl. GST & L.Cess)	Amount (Incl. GST & L.Cess)
	CIVIL Works				
01	Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of painting to bracket etc.	Each	1	1209.68	1210.00
02	Supplying, fitting and fixing E.W.C. in white glazed vitreous chinaware of approved make complete in position with necessary bolts, nuts etc.				
	(b) With 'S' trap	Each	1	1802.00	1802.00
03	Supplying, fitting and fixing pillar cock of approved make.				
	(i) CP 2-way bib Cock - 15 mm, supplied, fitted and fixed (Code No. 5041 & Model - FLORENTINE of JAQUAR or similar brand).	Each	1	1512.39	1512.00
	(c) CP Pillar Cock - 15 mm, (Code No. 5011 & Model - FLORENTINE of JAQUAR or equivalent).	Each	1	1021.37	1021.00
04	Supplying, fitting and fixing shower of approved brand and make.				
	(i) Hand Shower/Health Faucet with 1mtr Flexible Tube with Wall Hook (Equivalent to Code No. 573 & Model - ALLIED of Jaquar or similar).	Each	1	1490.94	1491.00
05	Supplying, fitting and fixing Closet seat of approved make with lid and C.P. hinges, rubber buffer and brass screws complete.				
	(a) E.W.C.				
	(ii) Plastic (hallow type) white	Each	1	452.88	453.00
	(iv) Bestolite (solid type) white	Each	1	852.14	852.00
06	Supplying, fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia.				
	(iii) 600 mm long	Each	2	127.52	255.00
07	Cleaning glazed tiles with acid.	Sqm	5	11.92	60.00
08	Cleaning wash basin/ sink with acid.	Each	1	19.07	19.00
09	Supply, fitting & fixing of 32 mm PVC Waste Nozzle with jamnut, full thread or half thread complete.	Each	1	57.21	57.00
10	Supplying, fitting and fixing bib cock or stop cock.				
	(d) (i) Chromium plated angular Stop Cock with wall flange (Equivalent to Code No. 5053 & Model - Florentine of Jaquar or similar brand).	Each	2	971.32	1943.00

Sl. No.	Description of Item	Unit	Quantity	Rate (incl. GST & L.Cess)	Amount (incl. GST & L.Cess)	Remarks
11	A) Supplying & laying of approved brand of scratch proof, semi flexible P.V.C. blended homogeneous marble Vinylite flooring in tiles conforming to IS:3461, fixing with synthetic acrylic adhesive after preparing the floor, levelling & smoothening when necessary with suitable putty, as per the design & instruction of the Engineer-in-charge.					
12	(a) Supplying 'Godrej' mortice lock chromium plated with latch and keys & levers, including fitting and fixing complete.	Sqm	13.29	688.86	9155.00	
	(1 x 3.722 x 3.570 = 13.29 Sqm.)					
	2 mm thick					
13	Supplying solid flush type doors of deluxe decorative (both side) quality, conforming to IS:2202 timber frame consisting of top and bottom rail and side styles of well seasoned timber 65mm wide each and the entire frame fitted with 27.5mm wide battens places both ways in order to make the door of solid core and internal lipping with teak, mahogany or rose wood approved decorative veneers using phenol formaldehyde as glue etc. complete, including fitting, fixing the shutters in position but excluding the cost of hinges and other fittings in	Each	1	1288.34	1288.00	
	complete.					
	with latch and keys & levers, including fitting and fixing					
14	i) Hydraulic door closer of approved quality as per I.S.I. standard fitted and fixed complete.					
	iii) Godrej Hydraulic door closer fitted and fixed complete.					
	(b) Medium type					
15	Anodised aluminium butt hinges of approved quality manufactured from extruded section conforming to I.S. specification (I.S. 205/66) and fitted and fixed with cadmium plated screws.	Each	1	1984.35	1984.00	
16	Supplying, fitting & fixing 100 mm flat width vertical blind made with polyester fabric. The track shall be made using aluminium alloy section 45mm deep & 25mm high with wall thickness 1.1 mm. A clutch mechanism is incorporated to turn the slats and prevent damage to the mechanism. Operating chain 4.5/6. Bottom slats shall have weight chains/chainless weights/sealed pockets all complete as per direction of Engineer in Charge.	Each	4	85.81	343.00	
	(N) 100 x 63 x 3.2mm.					
17	ELECTRICAL WORKS	Sqm	5.04	3100.00	15624.00	
	Window = 1 x 2.8 x 1.8 = 5.04 Sqm.					
	Circuit wiring:					

Sl. No.	Description of Item	Unit	Quantity	Rate (incl. GST & L.Cess)	Amount (incl. GST & L.Cess)	Remarks
	Distribution wiring in 1.1 KV single core stranded 'FRLS' PVC insulated & unsheathed copper wire (Brand approved by EIC) in 20mm size PVC rigid conduit 'FRLS' (Precision make) incl. fittings as required (Polycab/Havells/RR Kabel/Finolex) (PWD SOR Pg. No: E-14, Sl. No. 1a +5% extra for FRLS)	Rmt.	40	127.64	5105.67	
	2 x 22/0.3 (1.5 sqmm) + 1 x 22/0.3 (1.5 sqmm)					
18	Distribution wiring in 2 x 22/0.3 (1.5 sqmm) single core stranded 'FRLS' PVC insulated & unsheathed copper wire (Brand approved by EIC) in 20mm size PVC rigid conduit 'FRLS' (Precision make), with 1x22/0.3 (1.5 sqmm) single core stranded 'FRLS' PVC insulated & unsheathed copper wire for EIC, to light/fan/call bell points with Modular type switch board with top cover plate and 2 no. suitable size "Ph & N" copper bar & earthing attachment fixed on wall incl. mending good damages to original finish (Polycab/Havells/RR Kabel/Finolex) (PWD SOR Pg. No: E-24, Sl. No. 1)					
A	Average run 6 mtr	Nos.	2	954.63	1909.26	
B	Average run 10 mtr	Nos.	2	1358.65	2717.30	
19	Supply of Fitting & Fixtures:					
A	Supply of 450 mm. Wall mounted Fan, full metal body (Make: Orient TORNADO WALL II copper / similar EPC as direction by EIC)	Nos.	1	5477.41	5477.41	
B	Supply & Fixing 240 V, 6A, 3 pin Modular type plug socket with top cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc (L&T Entice/Crabtree Amare/Legrand), without switch & plug top, on PVC Modular Switch Board of 2 module size, supply & fixing complete with top cover plate flushed in wall for housing the board after cutting the brick wall incl. making earthing attachment, painting and mending good damages to building work (PWD SOR Pg. No: E-17, Sl. No. 2a + 4a)	Nos.	1	348.01	348.01	
C	Fixing only cabin fan on wall/ceiling by S&F rag bolts, nuts & washers (6 mm dia x 62 mm long) or as reqd. incl. S&F 24/0.20 PVC insulated flexible copper wire 0.5 mt. length (PWD SOR Pg. No: C-4, Sl. No. 29)	Nos.	1	109.65	109.65	
D	Providing double ball bearing capacitor start 1200 mm (48 inch) sweep A/C ceiling fan of approved make complete with all accessories as required as per recommended makes enclosed without regulator. (Make : Crompton 1200mm EMPOWER 1 STAR & ISI MARK/ Orient Summer Cool)	Nos.	1	2838.29	2838.29	
E	Supply & Fixing modular Socket type fan regulator (Step type) (Brand approved by EIC) on existing switch board with bakelite/perspex top cover by screw after making housing for regulator knob by cutting bakelite/perspex top cover incl. making necy. connections etc. (Legrand/L&T) (PWD SOR Pg. No: E-18, Sl. No. 10)	Nos.	1	461.23	461.23	
F	Fixing only ceiling fan complete with blades, canopy, fork, rubber bush etc. incl. S&F connecting wire for down rod upto 30 cm incl. painting the rod with approved paint and making necessary connection as required by					
	2x1.5 sqmm flexible copper wire. (PWD SOR Pg. No: C-3, Sl. No. 21a)	Nos.	1	78.66	78.66	

Sl. No.	Description of Item	Unit	Quantity	Rate (incl. GST & L.Cess)	Amount (incl. GST & L.Cess)	Remarks
6	Extra for supplying additional wire for down rod & painting the rod exceeding 30 cm by 2x15 sqmm flexible copper wire (PWD SOR Pg. No: C-3, SL No. 21b)	Nos.	1	52.44	52.44	
H	Supply of 20 watt 4 ft double T8 LED tube fittings with 2 nos. 20W/18W LED tube (Make- Philips TMC 502 with master LED tube 2 nos./similar Havelis/ Crompton and LED tube 20W/28865T8/similar make as direction by EIC)	Nos.	2	1855.75	3711.50	
I	Fixing only single/twin fluorescent light fitting suspended 25 cm below the ceiling with 2 No. 20 mm dia EI conduit (14 SWG) supports fixed with "L" type M5 clamp whose one side fixed on ceiling with suitable size 4 nos. fastener and other side connected with the conduit with suitable size of bolts and nuts incl. S&F EI conduit, "L" type (125mmx125mm) 6mm thick and 25mm with M5 clamps and connecting the length of PVC insulated wire and mending good damages to original finish and painting etc. by 2x24/0.20 mm (1.5sqmm.) flexible copper wire of 1.10 mt. length. (PWD SOR Pg. No: C-2, SL No. 17)	Nos.	2	237.17	474.34	
20	Dismantling the existing fittings & fixtures.	Item	1	500.00	500.00	
				Total	74773.00	

Rupees seventy four thousand seven hundred seventy three only

MANAGING DIRECTOR

Shabbir