



Notice Inviting e-Tender

West Bengal Medical Services Corporation Limited
Swasthya Sathi
GN-29, Salt Lake, Sector-V
Kolkata-700091

Phone No (033) 40340307/320
E mail: procurement@wbmsc.gov.in

Supply and Commissioning of 01 (One) Unit of VATS 3D Camera system with VATS Instruments set for the Department of CTVS, NRS Medical college & Hospital, Kolkata

(Submission of Bid through *online*)

(3rd call of Bid Reference No.: WBMSCL/NIT-099/2025, Dated-06.02.2025)

Bid Reference No.: WBMSCL/NIT-371/2025

Dated-08.05.2025

AMENDMENT-I

REVISED TECHNICAL SPECIFICATION

3D VATS set Complete 3D Endo vision System & instruments for VATS (Video Assisted Thoracoscopic Surgery)

Sl. No.	Specification	Qty.
1	3D Camera System	1

	<p>The 3D Endoscopic Camera System should offer 4K Imaging with depth perception.</p> <ul style="list-style-type: none"> • Integrated distal sensor video thoracoscope, 10 mm, 0° direction of view - Qty 1 • Integrated distal sensor video thoracoscope, 10 mm, 30° direction of view - Qty 1 • Two distal Full HD image sensors optimized for stereoscopic endoscopy. • Slender and light design - weight less than 500 gms. • Sterilization options: Autoclavable, ETO and Plasma sterilization. • Should have DVI-D output or HD-SDI Left & HO-SDI Right for transmitting the 3D signal in 1080p format at 50/60 Hz to a 3D monitor. • Easy switching between 2D and 3D modes. • Overall System rated safety class CF defib. • Should meet IEC 601-1, 601-2-18, CSA22.2 no. 601, UL 2601-1 and CE according to MDD, protection class 1/CF defibrillation-safe 	
2	4K Medical Grade Monitor capable of displaying 3D – 32 inch	1
3	LED / Xenon Light Source 300W & Light cable.	1
4	Data Acquisition system and Recording for dual (3D and 2D image/video source).	1
	<p>Modular and preconfigured system with integrated touch screen for intraoperative documentation of still images and videos.</p> <p>Essential features of the system.</p> <p>Full control from the sterile field via camera head buttons, integrated touch screen (with transport lock and retractable), optional foot switch.</p> <p>Parallel (synchronic or independent) recording of two image sources.</p> <p>Still images and videos in 2D or 3D.</p> <p>Water mark feature.</p> <p>Intelligent, adaptive storage management.</p> <p>Storage location is freely definable and configurable.</p> <p>Storage on internal memory (2 TB, FIFO), USB storage media via 2.0 and 3.0, optical media, network drive, FTP or via DICOM.</p>	
5	Endoscopic Trolley SS304 powder coated– Trolley should include the Monitor holder.	1

VATS Instrument specification

1. Rod lens Telescope 30°, enlarged view, diameter 5 mm, length 29 cm, autoclavable - Qty 1.
2. Straight Forward Telescope 0°, enlarged view, with angled eyepiece, diameter 10 mm, length 27 cm. Fiber optic light transmission incorporated, with 6 mm instrument channel, autoclavable- qty: 1
3. Suction Tube, insulated, with trumpet valve, for unipolar coagulation, size 5 mm - qty 1

4. Dissecting and Biopsy Forceps, rotating, size 5 mm, length 43 cm, with connector pin for unipolar coagulation, single action jaws, with LUER lock adaptor for cleaning, consisting of: Plastic Handle, without ratchet Outer Tube with insert, insulated -qty 1
5. Coagulating Electrode, insulated, for unipolar coagulation, size 5 mm – qty 1
6. Plastic cannula autoclavable for use with flexible trocar size 11 mm- package of 5- Qty 4
7. Plastic cannula autoclavable for use with flexible trocar size 6 mm- package of 5- Qty 4
8. Trocar, size 6 mm, consisting of: Trocar, only with blunt tip, Cannula with thread, length 6 cm - Qty 4
9. Trocar, size 11 mm, consisting of: Trocar only, with blunt tip, Cannula with thread, length 6 cm- Qty 4
10. Trocar, size 13 mm, consisting of: Trocar with blunt tip, Cannula with thread, length 4 cm-Qty 1
11. Parenchymal Forceps, atraumatic, straight jaws, single action jaws, size 5 mm, length 28 cm, consisting of: Metal Handle with 4 locking positions, with ratchet, Outer Tube with Working Insert-Qty 1
12. Lung Forceps, atraumatic, fenestrated, curved jaws, single action jaws, size 5 mm, length 28 cm, consisting of: Metal Handle with 4 locking positions, Outer Tube with Working Insert- Qty 1
13. Dissecting and Grasping Forceps, curved jaws, double action jaws, size 5 mm, length 28 cm, consisting of: Metal Handle with 4 locking positions, Outer Tube with Working Insert-Qty 1
14. Grasping Forceps, Cobra-Jaws, 1x2 teeth, straight jaws, single action jaws, size 5 mm, length 28 cm, consisting of: Metal Handle with 4 locking positions Outer Tube with Working Insert- Qty 1
15. Parenchymal Forceps, atraumatic, curved jaws, single action jaws, size 5 mm, length 28 cm, for use with Linear Stapler- Qty 1.
16. Dissecting Forceps, insulated, curved jaws, double action jaws, size 5 mm, length 28 cm, with connector pin for unipolar coagulation, consisting of: Insulated Metal Handle with 4 locking positions, Insulated Outer Tube with Working Insert- Qty 1
17. Scissors, insulated, distally angled outer sheath, curved scissor-blades, scissor blades open horizontally to angulation, double action jaws, size 5 mm, length 28 cm, with connector pin for unipolar coagulation, consisting of: Insulated Metal Handle with 4 locking positions, Insulated Outer Tube with Working Insert- Qty 1
18. Biopsy Forceps, insulated, distally angled outer sheath, single action jaws, size 5 mm, length 28 cm, with connector pin for unipolar coagulation, consisting of: Insulated Metal Y-Handle with 4 locking positions, Insulated Outer Tube with Working Insert-Qty 1.
19. Surgical Sponge Holder, for atraumatic dissection of tissue layers, size 10 mm, length 30 cm, consisting of: Handle, Outer Sheath, insulated Sponge Holder Insert- Qty 1
20. Suction-Coagulation Cannula, with connector pin for unipolar coagulation with handle, size 5 mm, length 28- 35 cm-Qty 1
21. dissecting forceps rotating, dismantling, with connector pin for bipolar coagulation, distally angled outer sheath, double action jaws, curved jaws, jaws open horizontally to angulation, size 5 mm, length 20 cm, color code: light blue consisting of: Outer Sheath with Forceps Insert qty-1
22. METZENBAUM Scissors, Model, rotating, dismantling, with connector pin for bipolar coagulation, curved jaws, more slender scissor blades, double-action jaws, size 5 mm, length 20 cm, color code: light blue consisting of: Plastic Handle Metal Outer Sheath, insulated MW Scissors Insert qty-1
23. Suction and Irrigation Cannula, with lateral holes, distally angled sheath, for use with handle, size 5 mm, length 28 cm- Qty 1
24. Dissecting Electrode, L-shaped, with connector pin for unipolar coagulation, distally angled sheath, size 5 mm, length 28 cm-Qty

25. Stainless steel containers for storage and sterilization

All above equipments should be from the same manufacturer/Third Party (Imported) and CDSCO certified.

All the supporting documents regarding the satisfactory performance/ compliance of the quoted equipments along with hand instruments (entire equipments) to be submitted from the CTVS Department of the renowned Hospital / Health Institution (applicable in cases of inclusion of Third Party instruments and equipments).