WEST BENGAL MEDICAL SERVICES CORPORATION LTD (Wholly Owned by the Government of West Bengal) CIN:U85110WB2008GC126373 2008-09 Regd. Off. Swasthya Sathi, GN-29, Sector-V, Salt Lake Phone: 033 40340300 Fax: 033 40340400 email id: info@wbmsc.gov.in

Name of work:

Fixing of Additional Doors at 1st & 6th Floor at Balurghat SSH (2nd call)

NOTICE INVITING TENDER

Memo No: WBMSCL/NIT- 110/2021 Dated – 06/05/2021

Managing Director, West Bengal Medical Services Corporation Limited, Swasthya Sathi, GN-29, Sector-V, Kolkata - 700 091, invites sealed bids from eligible contractors with experience of similar nature of work for the work **Fixing of Additional Doors at 1st & 6th Floor at**

Balurghat SSH (2nd call).

The details may be available at Notice Board of WBMSCL & website <u>www.wbmsc.gov.in</u> and to be submitted (offline) on or before 1:00 P.M. on 13/05/2021 at Site Office of WBMSCL at Balurghat SSH.

| No of Site | 1 no. |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Estimated Amount | 53,339.00 |
| Bid Security/EMD | The bidder will have to deposit earnest money Rs. 1066.00 (In the form of DD from a scheduled bank drawn in favour of "West Bengal Medical Services Corporation Ltd"). |
| Security Deposit | 10% of the contract amount to be deducted from the Bill for each work. |
| Releasing of Security Deposit | One year from the date of completion of work |
| Tender Publication Date | 07/05/2021 |
| Last date of Submission of Tender | 13/05/2021 Upto 1:00 PM |
| Date of Opening of Tender Document | 13/05/2021 at 3:00 PM |
| Validity of Quotation | 120 days from the date of opening of the financial bid of the tender. |
| Time allowed for completion of Work | 15 days from the date of Work order for both the work |

| Eligibility of participating bidder | Bonafied reliable and resourceful firm having executed similar nature of Work. Intending tenderers should produce credentials of a similar nature of completed work of the minimum value of 40% of the estimated amount put to tender. |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bid opening Venue | West Bengal Medical Services Corporation Ltd, Swasthya Sathi, GN -29 , Sector – V, Salt Lake, Kolkata – 700091. |

Prospective bidders are requested to submit the bid in a sealed cover addressed to the Managing Director, West Bengal Medical Services Corporation Ltd, Swasthya Sathi, GN -29, Sector – V, Salt Lake, Kolkata – 700091 within the stipulated date & time.

Bidders are instructed to submit their bid consisting of two sealed envelope called "Qualifying Bid" &" Financial Bid" in the tender box of WBMSCL by hand. Bid will not be taken by postal system/courier.

Documents comprising the bid : (Bidders are instructed to submit their bid consisting of two sealed envelope called Qualifying Bid & Financial Bid.)

The Qualifying Bid shall comprise the following: -

- a. PAN No.
- b. GST registration no.
- c. IT Return for the assessment year of 2020-21.
- d. Experience in similar field
- E. Duly signed NIT
- F. Trade License

The Financial Bid shall comprise the following:

Applicable Rate Schedules as per printed format on the letter head of the intending bidder.

(Rate must be given in the B.O.Q. provided below, on the letter head of the intending bidder. Rate is inclusive of all taxes, charges in respect of all the sites/location. Any taxes, charges etc shown separately will not be considered. Rate Quote in any other format will be treated as cancelled).

The intending bidder(s) required to quote the rate (percentage above/below/at par) over the total estimated cost put to tender considering that no escalation and / or price adjustment will be allowed by the department under any circumstances.

A bidder shall have to furnish signed "Financial Bid" on their letter head. The financial bid of only of those bidders will be opened who meet all the requirements of the technical bid.

Failing to fulfill the requirements and eligibility criteria set in the bid document will make the bidders Bid invalid. WBMSCL reserves the right to cancel or reject any or all of the Bids without assigning any reason whatsoever.

NAME OF THE WORK: Fixing of Additional Doors at 1st & 6th Floor at Balurghat SSH (2nd call) NIT reference no. - WBMSCL/NIT- 110/2021 dated - 06.05.2021 **B.O.Q** SI no. Description of Item Quantity Unit Rate Amount Aluminium Works: 1 Supplying profiles of required section made of Aluminium Alloy Extrusions conforming to IS: 732-1983 and IS: 1285- 1975; Annodized (with required film thickness and specified colour / natural) matt finished conforming to IS: 1868-1983 for fabrication of composit door, sliding & casement windows, partitions, formed of basic sections of any ISI embossed / certified make and brand as per direction of Engineer-In-Charge. (Payment will be made on finished length of the work). (A) In 10-12 Micron thickness Annodizing film I) Natural white k) Movable door shutter i) Door Frame (Top & Sides) 5.7 Mtr. 1st Floor 356.33 2,031.07 6.6 Mtr. 6th Floor 2,351.76 356.33 ii) Shutter a) Top Rail 1.4 Mtr. 1st Floor 481.44 343.88 2.3 Mtr. 6th Floor 343.88 790.94 b) Bottom Rail Mtr. 1st Floor 1.4 506.78 709.49 2.3 Mtr. 6th Floor 506.78 1,165.59 c) Lock Rail Mtr. 1.4 426.46 597.05 1st Floor 6th Floor 2.3 Mtr. 426.46 980.86 d) Door Vertical 8.400 Mtr. 1st Floor 375.56 3,154.69 6th Floor 8.400 Mtr. 375.56 3,154.69 Glazing clip 1st Floor 56.000 Mtr. 56.56 3,167.36 68.800 Mtr. 6th Floor 56.56 3,891.33 2 Labour charge for fabrication and installation of composite door, window, partitions made from annodized extruded alloy aluminium sections for the following units:-

| SI no. | Description of Item | Quantity | Unit | Rate | Amount |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|----------|----------|
| | (B) Partly glazed partly panelled or fully glazed single leaf alunminium swing door made of extruded and annodized alloy aluminium sections, fabrication including cutting to proper shape and size, drilling and aligning, fitted with heavy duty hydraulic action floor sping placed in the floor with mending damages, with top pin assembly of approve make and brand, fitted with in built locking arrangement, flush bolt, glazing clips and all other necessary fittings, fixtures, adhesives and joineries, cutting glass of approved make to requisite shape and size fitting with dry set neoprene or EPDM gasketing, cutting to requisite shape and size panel board (prelaminated particle block) fixing them with glazing clips as per drawing, specification and direction of Engineer in charge. | | | | |
| | The rate includes the hire charge of all tools and plants, adhesive, joineries such as screw, cleat angle etc. but excluding the cost of extruded alumium sections, glass, panel boards neoprene / EPDM gasket, locking arrangement, weather gasket / wool pile, floor spring, top pin, handle, tower bolt, glazing clips etc. (10% rate reduction has to be made for swing doors or partitions where floor spring is not used. 10% enhancement of rate is to be made where door frame of extruded aluminium sections has to be fitted and fixed to masonry wall. 5% rate enhencement may be allowed for double leaf swing door. Payment shall be made for the shutter area only exept where door frame is fixed the entire opening shall be taken to consideration. Payment for door frame sections are to be paid seperately). | | | | |
| | | | | | |
| | 1st Floor | 3.15 | SqM | 1,390.19 | 4,379.09 |
| 3 | 6th Floor Supplying EPDM gusket of approved make and brand as per direction of Engineer in charge. | 5.04 | SqM | 1,467.11 | 7,394.23 |
| | iii) weather gasket / wool pile for door vertical. | | | | |
| | 1st Floor | 4.200 | Mtr. | 21.49 | 90.27 |
| | 6th Floor | 4.200 | Mtr. | 21.49 | 90.27 |
| 4 | Supplying bubble free float glass of approved make and brand conforming to IS: 2835-1987; (A) clear, toughened glass conforming to IS: 2553- 1992 (part-II) i) 6mm thick | | C~M | | |
| | 1st Floor | 0.930 | SqM SqM | 1,082.56 | 1,006.78 |
| | 6th Floor | 1.628 | SqM | 1,082.56 | 1,762.41 |
| L | | | | | |

| Sl no. | Description of Item | Quantity | Unit | Rate | Amount |
|--------|-------------------------------------------------------|----------|------|--------|----------------------|
| 5 | Supplying 4 lever mortice lock or any approved make | | | | |
| | and brand as per direction of the Engineer- in - | | | | |
| | Charge. | | | | |
| | i) 150 mm. | | | | |
| | 1st Floor | 1.000 | Nos. | 427.59 | 427.59 |
| | 6th Floor | 1.000 | Nos. | 427.59 | 427.59 |
| | | | | | |
| 6 | (A) Supplying Aluminium casted body hydraulic door | | | | |
| | closer as per I.S.I. | | | | |
| | 1st Floor | 2.000 | Nos. | 718.31 | 1 426 62 |
| | 6th Floor | 2.000 | Nos. | 718.31 | 1,436.62 1,436.62 |
| | | 2.000 | 103. | /10.51 | 1,450.02 |
| | (C) Supplying Heavy Duty Aluminium Handle (EBCO | | | | |
| | Type) (Natural White) | | | | |
| | 1st Floor | 4.000 | Nos. | 108.60 | 434.38 |
| | 6th Floor | 4.000 | Nos. | 108.60 | 434.38 |
| | | | | | |
| | (D) Supplying Aluminium casted body Butt Hinge | | | | |
| | (KOBRA type). (Natural white) | | | | |
| | 1st Floor | 8.000 | Nos. | _ | |
| | | 0.000 | 103. | 63.35 | 506.78 |
| | 6th Floor | 8.000 | Nos. | 63.35 | 506.78 |
| | | | | | |
| 7 | Anodised aluminium barrel / tower / socket bolt (full | | | | |
| | covered) of approved manufactured from extruded | | | | |
| | section conforming to I.S. 204/74 fitted and fixed | | | | |
| | with cadmium plated screws: | | | | |
| | (iii) 100mm long x 10mm dia. bolt. | | | | |
| | 1st Floor | 2.000 | Nos. | 59.95 | 119.91 |
| | 6th Floor | 2.000 | Nos. | 59.95 | 119.91 |
| | | | | | |
| 8 | Filling the gap in between aluminium frame & | | | | |
| | adjacent RCC / Brick/ Stone work by providing | | | | |
| | weather silicon sealant over 6mm dia backer rod of | | | | |
| | approved quality as per architectural drawings and | | | | |
| | direction of Engineer-in-Charge complete. Upto 5 | | | | |
| | mm depth and 5 mm width 1st Floor | 4.20 | Mtr. | 81.45 | 342.07 |
| | 6th Floor | 4.20 | Mtr. | 98.41 | 413.34 |
| | | | | 50.41 | 413.34 |
| 9 | i) Fixed partitions. | | | | |
| 2 | (Unsupported length of vertical member upto 1.5 | | | | |
| | mtr. Height of both ends | | | | |
| | of vertical member restrained but panels within 0.9 | | | | |
| | sq.m.) | | | | |
| | i) Top , bottom & side member. | | | | |
| | 1st Floor | 3.60 | Mtr. | 363.12 | 1,307.21 |
| | 6th Floor | 5.40 | Mtr. | 363.12 | 1,960.82 |
| | | | | | |
| | ii) Intermediate member. | | | | |
| | 1st Floor | 0.30 | Mtr. | 383.48 | 115.04 |
| | 6th Floor | 0.30 | Mtr. | 383.48 | 115.04 |
| | | | | | |
| | iii) Glazing clip. | | | | |
| | 1st Floor Page 3 of | 28.000 | Mtr. | 56.56 | 1,583.68 |

| Sl no. | Description of Item | Quantity | Unit | Rate | Amount |
|--------|-------------------------------------------------------------------------|----------|------|--------|----------|
| | 6th Floor | 34.400 | Mtr. | 56.56 | 1,945.66 |
| | | | | | |
| 10 | Labour charge for fabrication and installation of | | | | |
| | composite door, | | | | |
| | window, partitions made from annodized extruded | | | | |
| | alloy aluminium | | | | |
| | sections for the following units:- | | | | |
| | D) Partly glazed and partly panelled partition or fixed glazing made of | | | | |
| | extruded and anodised alloy aluminium sections, | | | | |
| | fabrications after | | | | |
| | cutting to proper shape and size, drilling and aligning | | | | |
| | fitted with inbuilt | | | | |
| | locking arrangement cutting the glass / board | | | | |
| | (prelaminated / particle / | | | | |
| | block) to requisite shape and size moulding the | | | | |
| | edges fitted and fixed | | | | |
| | glazing clips and dry set neoprine /EPDM gasket, along with all other | | | | |
| | necessary arrangements for fixing the partition to | | | | |
| | walls, floors, beams, | | | | |
| | columns polysulphide sealant for water proofing if | | | | |
| | necessary complete in | | | | |
| | all respect as per drawing and specifications and | | | | |
| | direction of the | | | | |
| | Engineer in charge I) For partitions using section of size: | | | | |
| | a) 63.50 mm x 38.10 mm | | | | |
| | 1st Floor | 0.45 | Sq.M | 837.09 | 376.69 |
| | 6th Floor | 0.72 | Sq.M | 914.01 | 658.09 |
| | | | | | |

| Sl no. | Description of Item | Quantity | Unit | Rate | Amount |
|--------|---------------------------------------------------------------|----------|------|----------|--------|
| 11 | Wall panelling / partition with Melamine faced 3 | | | | |
| | layered flat pressed wood particle board of approved | | | | |
| | make and brand as per direction of Engineer - in - | | | | |
| | Charge of requisite grade bonded with phenol | | | | |
| | formaldehyde synthetic resin conforming to IS: 848 - | | | | |
| | 1974 (excluding the cost of supporting frame work | | | | |
| | and teak wood battens / lipping) | | | | |
| | (B) Prelaminated particle board conforming to IS: | | | | |
| | 3087 - 1985 and IS 12823 - 1990. | | | | |
| | (ii) Both side decorative laminate | | | | |
| | (a) Exterior grade | | | | |
| | 9mm thick | | | | |
| | 1st Floor | 0.45 | Sq.M | 1,257.89 | 566.05 |
| | 6th Floor | 0.72 | Sq.M | 1,257.89 | 905.68 |
| | Total | | | | |
| | (Rupees: Fifty three thousand three hundred thirty nine only) | | | | |
| | Quoted Percentage of Rate (Above +) | | | | |
| | Quoted percentage of rate (At Par) | | | | |
| | Quoted percentage of rate (At Below-) Quoted rate in words : | | | | |

Sd/-Managing Director & Commissioner, H & F W Department