

WEST BENGAL MEDICAL SERVICES CORPORATION LTD.

(Wholly owned by the Government of West Bengal) Swasthya Sathi, GN-29, Sector-V, Salt Lake, Kolkata-700 091.

NOTICE INVITING TENDER

FOR

Alluminium Partition work for RTPCR lab [Donning Area, Sample Preparation Room, Donning Area, Autoclave, Master Mix Room, RT-PCR, Reagent preperation, Post PCR Report Room] at Third Floor Microbiology Department (Museum) of Academic Building at Rampurhat Govt. Medical College, Rampurhat, Birbhum

(BID Reference No.: WBMSCL / NIT-58/2020, Dated - 29.05.2020)

WEST BENGAL MEDICAL SERVICES CORPORATION LIMITED

(Wholly Owned by the Government of West Bengal)
Registered Office: Swasthya Sathi, GN-29, Sector-V, Salt Lake, Kolkata- 700091
Phone: 033-4034-0300 ◊ Email: info@wbmsc.gov.in ◊ website: www.wbmsc.gov.in

Dated: 29.05.2020

I.T.B. No.: WBMSCL / NIT- 58/2020

Managing Director, WBMSCL invites sealed bids through offline from the bonafide, resourceful and reliable experienced suppliers in West Bengal for:

Alluminium Partition work for RTPCR lab [Donning Area, Sample Preparation Room, Donning Area, Autoclave, Master Mix Room, RT-PCR, Reagent preparation, Post PCR Report Room] at Third Floor Microbiology Department (Museum) of Academic Building at Rampurhat Govt. Medical College, Rampurhat, Birbhum

Sl. No	Name of the Work	Earnest Money (INR)	Period of Completion	Name & address of the Office
01.	RTPCR lab [Donning Area, Sample Preparation Room, Donning Area, Autoclave, Master Mix Room, RT-PCR, Reagen preperation, Post PCR Repor Room] at Third Floor Microbiology Department (Museum) of Academic Ruilding at Rampurha	The Successful Bidder will have to deposit earnest money Rs. 9,984.00 (Rupees Nine Thousand Nine Hundred and Eighty Four only)_(In the form of DD from a scheduled bank drawn in favour of "West Bengal Medical Services Corporation Ltd") at the time of executing of formal agreement as per rules.	7 (Seven) Days	Managing Director, West Bengal Medical Services Corporation Limited, Swasthya Sathi Building, GN- 29, Sector –V, Saltlake,

- 1. The details may be available at Notice Board of WBMSCL & website www.wbmsc.gov.in and to be submitted (offline) on or before 12.00 PM on 08.06.2020. The bidders should produce all the credential in original to the office of undersigned for verification at West Bengal Medical Services Corporation Limited, Rampurhat Government Medical College, Rampurhat.
- 2. Eligibility Criterion for participation in the tender
 - i) Intending tenderers should produce credentials of a similar nature of completed work of the minimum value of 40% of the estimated amount put to tender during 5 (Five) years prior to the date of issue of the tender
 - **N.B.:** Similar nature of work as per BOQ, Estimated amount, Gross bill value, Date of completion of project & detail communicational of Client must be indicated in the Credential Certificate. Payment Certificate will not be treated as credential.
 - ii) Credential certificate issued by the competent authority of any State / Central Govt., State / Central Govt. Undertaking, Statutory / Autonomous bodies constituted under the Central / State statue, on the executed value of completed / running work will be taken as credential.
- iii) All intending Bidders are required to produce current Tax return (for the assessment year as applicable) as submitted along with PAN, GST Registration Certificate as applicable (to be documented through e-filing).
- iv) Registered Partnership deed should be furnished (for partnership firm only) along with Power of Attorney to sign on the tender documents (if required) and the company shall furnish the Article of Association and Memorandum (to be documented through e-filing).
- vii) Joint Venture will not be allowed.

3. The details of the MCH is provided below:

S.I.No.	Location of Work	Place
1	Rampurhat Government Medical College	Rampurhat

- 4. The quoted rate by the bidder will remain valid for a period not less than 120 days (One hundred Twenty days) from the date of receiving of Work Order of above mentioned job. If the Bidder withdraws and change the quoted rate during this period, his Earnest Money Deposited will be forfeited.
- 5. No Mobilization Advance / Secured Advance will be allowed.
- 6. Prospective applicants note carefully the minimum qualification criteria as mentioned in instruction to bidders before tendering the bids.
- 7. No Conditional Bid / Tender will be accepted under any circumstances.
- 8. Before Submitting the Documents each page of the tender documents are to be signed by the Bidder/ owner/ partner / authorized signatories having legal authority to do so, failing which the Bid will be treated as informal.
- 9. The employer reserves the right to accept or reject any / all offer without assigning any reason whatsoever and is not liable for any cost that might have incurred by the Bidder at the stage of Bidding.

10. IMPORTANT INFORMATION:-

DATE & TIME SCHEDULE:

Date of upload on Website	01.06.2020
Last date of Submission of Quotation	08.06.2020 up to 12.00 P.M.
Date of Opening of Quotation	08.06.2020 at 01.00 P.M.

LOCATION OF CRITICAL EVENTS:

Bid Opening: "West Bengal Medical Services Corporation Limited, Rampurhat Government Medical College". Interested bidder may be presented at West Bengal Medical Services Corporation Limited, Rampurhat Government Medical College during opening of bid. Managing Director, West Bengal Medical Services Corporation Limited may call open bid /sealed bid after opening of the said bid to obtain the suitable rate further, if it is required. No objection in this respect will be entertained if raised by any bidder present or absent during opening of tender. Submission of tender through Post will not be accepted. Tender has to be submitted by the agency or his authorized representative.

- 11. In case of any unscheduled holiday on the aforesaid dates [Sl. (v)], the next working day will be treated as schedule / prescribed date for the same purpose.
- 13. The successful Bidder shall have to execute Formal Agreement with West Bengal Medical Services Corporation Limited within 7(Seven) days from the issuance of Provisional Work order.
- 14. The Bidder has to visit and examine the site of works and its surroundings and obtained all information that may be necessary for preparing Bid and entering into an agreement for the work / works as mentioned in the NIT. The costs for visiting the working site shall be at the bidders own expense.
- 15. If more than one Bidder quoted same rate and which are found lowest at the time of opening, such similar multiple rates will not be entertained / accepted. Lowest offer will be ascertained by sealed bid amongst the lowest bidder.

- 16. At any stage during scrutiny, if it is found that the credential or any other papers which the Bidder uploaded during Bidding process, found incorrect / manufactured / fabricated, that bid will be considered as non-responsive and outright rejected with forfeiture of Earnest Money and action will be taken as per stipulation of IT Rules in force.
- 18. Before issuance of Letter of Acceptance / Provisional Work order, the tender accepting authority may verify the credential & other documents of the lowest bidder so submitted if found necessary. If it is found such document incorrect / manufactured / fabricated, Letter of Acceptance / Provisional Work order will not be issued in favour of the bidder under any circumstances and action will be taken accordingly.
- 19. In case of Ascertaining of Authority at any stage of application or execution of work, necessary registered Power of Attorney is to be produced.
- 20. The Earnest Money may be forfeited if:
 - a) The Bidder withdraws the Bid during the period of Bid validity.
 - b) In case of successful Bidder, if the Bidder fails to execute formal agreement within the stipulated time period.
 - c) During scrutiny, if it is come to the notice of tender inviting authority that the credential or any other document which were submitted & dully signed by the Bidder are incorrect/manufactured/fabricated.
- 21. If any discrepancy arises between two similar clauses on different notifications, the clause as stated in later notification will supersede former one in following sequence;
 - a) Notice Inviting Quotation
 - b) Special Terms and Conditions
 - c) Financial Bid

The eligibility of the Bidder will be ascertained on the basis of document submitted / uploaded & digitally signed in support of the minimum criterion as mentioned above. If any document submitted / uploaded by the Bidder is either manufactured or false the eligibility of Bidder will be out rightly rejected at any stage without prejudice and action will be taken as per stipulation of IT Rules in force.

Sd/Managing Director, WBMSCL
& Commissioner, Health & F W Department

INSTRUCTION TO BIDDERS SECTION – A

<u>A-1.</u>

Technical Bid:

- i) NIT
- ii) Forms (As mentioned in the NIT, Section-B)
- iii) Last three years Income Tax return (for the assessment year as applicable), PAN, GST
- iv) Tax receipt challan.
- v) Registered Deed of partnership Firm.
- vi) Trade License from the respective Municipality/Panchayet etc.
- vii) Requisite Credential Certificate as mention in Clause [2(i)] of this N.I.T.

Financial Bid:

- viii) The rate of all Spare Parts will be quoted in the given format (Annexure-1) of Item rate BOQ on letter head of the intending bidder.
- ix) The bidder should be quoted the rate (Inclusive of all taxes, charges, labour charges, transportation cost etc.) of all items specified site wise in Annexure-I, Section-B, otherwise the bid will be treated as cancel.

<u>Note</u>: Failure of submission of any of the above mentioned documents will render the tender liable to be rejected.

THE ABOVE STATED NON-STATUTORY/TECHNICAL DOCUMENTS SHOULD BE ARRANGED IN THE FOLLOWING MANNER

SI. No.	Category Name	Sub Category Description	Details
A.	CERTIFICATES	CERTIFICATES	Current Income Tax return (for the assessment year as applicable) , PAN, GST Registration Certificate & Professional Tax receipt challan
В.	Company/Firm Details	Company/Firm Details – I	 Contractors shall have valid electrical contractor license from the Directorate of Electricity, Department of Power Trade License from respective Municipality / Panchayet etc. For Electrical items, the bidders must have one full time engaged supervisor having SCC parts 1,2,4,6a,7a & 11
C.	Credential (in applicable cases)	Credential	1. Documents of Credential (in the form of work completion certificates with work order) as mentioned in Clause No. [2(i)]

B. Technical proposal

- i. Opening of Technical proposal: Technical proposals will be opened by the Managing Director, West Bengal Medical Services Corporation Limited and his authorized representative.
- ii. Intending bidders may remain present if they so desire.

C. Financial proposal

i) The financial proposal should contain the following documents in the Bill of quantities (BOQ) in Annexure (I). The contractor is to quote the rate in the space marked for quoting rate in the BOQ and quote the rate item wise in annexure (I). WBMSCL reserves the right to purchase the above mentioned items either in phase wise manner or as a whole whichever is required throughout the whole year during bid validity days in the same rate and same terms & condition.

PENALTY FOR SUPPRESSION / DISTORTION OF FACTS OR SUBMISSION OF INCORRECT INFORMATION:

If any bidder fails to produce the original hard copies of the documents (specially Completion Certificates and audited balance sheets), or any other documents on demand of the Tender Opening Authority within a specified time frame or if any deviation is detected in the hard copies from the submitted copies or if there is any suppression of facts, the bidder will be suspended from participating in the tender on e- Tender platform and also offline tebder for 3 (three) years. In addition, his user ID will be deactivated and Earnest M o n e y D e p o s i t w i l l stand forfeited. Besides, WEST BENGAL MEDICAL SERVICES CORPORATION LIMITED may take appropriate legal action against such bidder.

AWARD OF CONTRACT

The Tender Inviting Authority reserves the right to accept or reject any bid and to cancel the tender inviting process and reject all bids at any time and prior to the Award of Contract without thereby incurring any liability to the affected bidder or bidders or any obligation to inform the affected Bidder or Bidders of the ground for Employer's action.

The Bidder whose Bid has been accepted will be notified by the Tender Inviting & Accepting Authority through acceptance letter/email.

The notification of award will initiate the execution of agreement.

The Agreement in prescribed composite Tender Form will incorporate all agreements between the Tender Accepting Authority and the successful Bidder.

General Terms and Conditions:

- 1. No interest is payable on this deposit. The earnest money deposited by successful bidder will be converted to Security deposit. Balance security deposit to cover 10% of the bill amount will be recovered from each running bill & final bill. Performance guarantee as well as security deposit shall be refunded to successful bidder / lowest bidder after successful completion of Defect Liability Period of 1(one) year. No interest is payable on this deposit. If the approved party fails to execute the agreement deed within the specified date, the earnest money will be forfeited. The Managing Director of the WBMSCL or any other person(s) authorized by him on his/her behalf reserves the right to accept any tender, in full or in part, or reject any or' all the bids without assigning any reasons thereof and no correspondence in this respect will be entertained.
- 2. The price to be quoted in Indian Rupee only.
- 3. No interest will be payable against Earnest money or Security Deposit.
- 4. WBMSCL will evaluate and compare the tenders determined to be substantially responsive i.e. which (a) Are properly signed.
 - (b) Conform to the terms and conditions, and specifications.
- 5. WBMSCL reserves the right to accept or reject any tenders and to cancel the bidding process and reject all tenders, and does not bind to accept the lowest rate.
- 6. The Bidder whose bid is accepted will be notified of the award of contract. The terms of accepted offer shall be incorporated in the purchase order.
- Payment will be made according to the availability of fund from the concerned source. No claim, whatsoever, for delay in payment if any will be entertained

11. Enclosure: BOQ (Annexure-1) & Section – B(Forms I to IV)

Sd/-

Managing Director, WBMSCL & Commissioner, Health & F W Department

SECTION-B ANNEXURE - I SCOPE OF WORK BILL OF QUANTITY

BOQ of Alluminium Partition work for RTPCR lab [Donning Area, Sample Preparation Room, Donning Area, Autoclave, Master Mix Room, RT-PCR, Reagent preparation, Post PCR Report Room] at Third Floor Microbiology Department (Museum) of Academic Building at Rampurhat Govt. Medical College, Rampurhat, Birbhum

SI. No.	Description of Items	No.	Length	Width	Depth	Quantity	Total Quantity	Unit	Rate	Amount
	Supplying, fitting & fixing of Aluminium fixed partion wall of member, intermediate member, glazing dip made of Aluminiand IS: 1285-1975, annodized conforming to IS:1868-19 gusket, cleat, angle screws etc. including labour charges for with glass / panel board all complete as per architectura (Excluding cost of glass/ panel board).									
	(A) In 10-12 Micron thickness Annodizing film [Natural white upto 1.50m. height of both ends of vertical member restrained									
	[Note: for estimate purpose construction wing may consider per Sq.M]	weight (of Al-Section	s for Partit	ion wall (@5.7 Kg				
	Room Partation		Т		1	T				
	Donning Area	1	2.65		2.70	7.16				
	Sample Preparation Room	1	5.70		2.70	15.39				
1	Donning Area	1	3.65		2.70	9.86				
	Autoclave	1	3.30		2.70	8.91				
	Master Mix Room	1	5.95		2.15	12.79				
	RT-PCR	1	4.75		2.15	10.21				
	Reagent preperation	1	1.65		2.15	3.55				
	Post PCR Report	1	5.35		2.15	11.50				
	Deduction For Door			1						
	D1	3	1.00		2.10	-6.30				
		5	0.75		2.10	-7.88				
		1	1.20		2.10	-2.52				
					Total	62.67				
					=					
	Consider weight of Al-Section @ 5.70 kg Supplying, fitting & fixing of partly glazed partly panelled or f	fully gla	zed single le	af Alumin	ium swing	357.22 door of all	357.22	Kg.	391.00	139673.00
	,	fully gla nutter(to ng to IS ories vi door v directior	zed single le op rail, botto : 733-1983 ; z. EPDM gi vith door spr i of Engineer	af Alumin m rail, loc and IS: 12 usket,cleat ing,/alumi -in- charg	ium swing k rail, dooi 285-1975, i, angle s nium hinge e. (Exclud	door of all r vertical), annodized crews etc. es, glass / ling cost of	357.22	Kg.	391.00	139673.00
2	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), sh glazing dip made of Aluminium Alloy Extrusions conformin conforming to IS:1868-1983, fitted with all other access including labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and or glass/panel board, door spring/ Al hinges, door doser, door	fully gla nutter(to ng to IS ories vi door v directior	zed single le op rail, botto : 733-1983 ; z. EPDM gi vith door spr i of Engineer	af Alumin m rail, loc and IS: 12 usket,cleat ing,/alumi -in- charg	ium swing k rail, dooi 285-1975, i, angle s nium hinge e. (Exclud	door of all r vertical), annodized crews etc. es, glass / ling cost of	357.22	Kg.	391.00	139673.00
2	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), shiglazing dip made of Aluminium Alloy Extrusions conformin conforming to IS:1868-1983, fitted with all other access including labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and or glass/ panel board, door spring/ Al hinges, door doser, door etc)	fully gla nutter(to ng to IS ories vi door v directior	zed single le op rail, botto : 733-1983 ; z. EPDM gi vith door spr i of Engineer	af Alumin m rail, loc and IS: 12 usket,cleat ing,/alumi -in- charg	ium swing k rail, dooi 285-1975, i, angle s nium hinge e. (Exclud	door of all r vertical), annodized crews etc. es, glass / ling cost of	357.22	Kg.	391.00	139673.00
2	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), shiglazing dip made of Aluminium Alloy Extrusions conforming to IS:1868- 1983, fitted with all other accesses including labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and orgass/panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white	fully gla nutter(to nutter(to nutter(to nutter() to sor v direction stoper,	zed single le op rail, botto : 733-1983 ; z. EPDM gu tith door spr of Engineer handle, tow	af Alumin m rail, loc and IS: 12 usket,cleat ing,/alumi -in- charg	ium swing k rail, door 285-1975, angle s nium hingr e. (Exclud d locking a	door of all r vertical), annodized crews etc. es, glass / ling cost of arrangment	357.22	Kg.	391.00	139673.00
2	Supplying, fitting & fixing of partly glazed partly panelled or f aluminium sections viz door frame (top and side frame), sh glazing dip made of Aluminium Alloy Extrusions conformin conforming to IS:1868-1983, fitted with all other access including labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and o glass/ panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white	fully glamutter(tong to IS ories via door via stoper,	zed single le op rail, botto : 733-1983 a z. EPDM gr iith door spr of Engineer handle, tow	af Alumin m rail, loc and IS: 12 usket,cleat ing,/alumi -in- charg	ium swing k rail, door 285-1975, i, angle s nium hinge e. (Exclud d locking a	door of all r vertical), annodized crews etc. es, glass / ling cost of arrangment	357.22	Kg.	391.00	139673.00
2	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), shiglazing dip made of Aluminium Alloy Extrusions conformin to IS:1868- 1983, fitted with all other accessinduding labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and orglass/ panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white D1 D2	fully glanutter(tog to IS ories via door via door via stoper,	zed single le op rail, botto : 733-1983 ; z. EPDM gr iith door spi of Engineer handle, tow	af Alumin m rail, loc and IS: 12 usket,cleat ing,/alumi -in- charg	ium swing k rail, door 285-1975, s, angle s nium hinge e. (Exclud d looking a 2.10 2.10 7.10	door of all r vertical) , annodized crews etc. es, glass / ling cost of arrangment 6.30 7.88	357.22	Kg.	391.00	139673.00
2	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), shiglazing dip made of Aluminium Alloy Extrusions conformin to IS:1868- 1983, fitted with all other accessinduding labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and orglass/ panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white D1 D2	fully gla nutter(to n	zed single le op rail, botto : 733-1983 ; z. EPDM gr iith door spi of Engineer handle, tow 1.00 0.75 1.20	af Alumin m rail, loc and IS 12 usket,deal ing/alumi in- charg er bolt and	ium swing k rail, dool 285-1975, i, angle s nium hinge e. (Exclud d looking a 2.10 2.10	door of all r vertical) , annodized crews etc. es, glass / ling cost of arrangment 6.30 7.88 2.52	357.22			
2	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), sh glazing dip made of Aluminium Alloy Extrusions conforming to IS:1868- 1983, fitted with all other accessincluding labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and c glass/ panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white D1 D2	fully gla uutter(tr g to 1S g to 1S door v door v stoper, 3 5 1	zed single le prail, botto: 733-1983 az EPDM gridith door sprint of Engineer handle, towards. 1.00 0.75 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20	af Alumin m rail, loc and IS: 12 sket,deal ing,/alumi in- charg er bolt an x 5.70 = dding on e s of ACP orming gra with all ma complete	ium swing k rail, dool 285-1975, s, angle s nioum hinge e. (Exclud d looking a 2.10 2.10 Total = 2.40 Existing AL powes at the terials (bu in all resp	door of all r vertical), annodized crews etc. es, glass / ling cost of arrangment 6.30 7.88 2.52 16.70 95.19 /MS frame graving the experiphery and the periphery etc. and the per		Kg.	391.00	139673.00 36648.00
	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), shiglazing dip made of Aluminium Alloy Extrusions conforming to IS:1868- 1983, fitted with all other accesses including labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and or glass/ panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white D1 D2 D3 Consider weight of Al-Section @ 5.70 kg Providing and fixing exterior quality Aluminium Composite Prevork with GI brackets, ACP fixed on the existing frame work rear surface of ACP sheet) with CP angles, cleats and strair of ACP panel. Such grooves filled with foam and silicon seathe cost of silicon sealant), labour, scaffolding and all other specification and direction of Engineer-in-charge. (Mode of panel)	fully gla utter(tr g to 1S g to 1S door v direction s stoper, 1 g per Sc anel (At b y fold less Si alant etc i incider	zed single lead prail, botto: 733-1983: 733-1983: 752-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-19	af Alumin m rail, loc and IS: 12 sket,deal ing,/alumi in- charg er bolt an x 5.70 = dding on e s of ACP orming gra with all ma complete	ium swing k rail, dool 285-1975, s, angle s nioum hinge e. (Exclud d looking a 2.10 2.10 Total = 2.40 Existing AL powes at the terials (bu in all resp	door of all r vertical), annodized crews etc. es, glass / ling cost of arrangment 6.30 7.88 2.52 16.70 95.19 /MS frame graving the experiphery and the periphery etc. and the per				
2	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), shiglazing dip made of Aluminium Alloy Extrusions conforming to IS:1868- 1983, fitted with all other accessionateding labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and orglass/ panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white D1 D2 D3 Consider weight of Al-Section @ 5.70 kg Providing and fixing exterior quality Aluminium Composite Pawork with Gl brackets, ACP fixed on the existing frame work rear surface of ACP sheet) with CP angles, cleats and strair of ACP panel. Such grooves filled with foam and silicon seather cost of silicon sealant), labour, scaffolding and all other specification and direction of Engineer-in-charge. (Mode of page)	fully gla utter(tr g to 1S g to 1S door v direction s stoper, 1 g per Sc anel (At b y fold less Si alant etc i incider	zed single lead prail, botto: 733-1983: 733-1983: 752-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-1983: 753-19	af Alumin m rail, loc and IS: 12 sket,deal ing,/alumi in- charg er bolt an x 5.70 = dding on e s of ACP orming gra with all ma complete	ium swing k rail, dool 285-1975, s, angle s nioum hinge e. (Exclud d looking a 2.10 2.10 Total = 2.40 Existing AL powes at the terials (bu in all resp	door of all r vertical), annodized crews etc. es, glass / ling cost of arrangment 6.30 7.88 2.52 16.70 95.19 /MS frame graving the experiphery and the periphery etc. and the per				
	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), shiglazing dip made of Aluminium Alloy Extrusions conformin conforming to IS:1868- 1983, fitted with all other access including labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and orgass/ panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white D1 D2 D3 Consider weight of Al-Section @ 5.70 kg Providing and fixing exterior quality Aluminium Composite Pawork with Gl brackets, ACP fixed on the existing frame work rear surface of ACP sheet) with CP angles, deats and striar of ACP panel. Such grooves filled with foam and silicon sea the cost of silicon sealant), labour, scaffolding and all other specification and direction of Engineer-in-charge. (Mode of page) (b) 4rmm thick (0.50mm Al.+3.0mm LDPE+0.50mm Al. PVDF ACP Board	fully glautter(to the full of	zed single lep rail, botto: 733-1983 az EPDM gr iith door spr of Engineer handle, tow 1.00 0.75 1.20 1.20 CP) wall clacking the edge eel screws fr can complete valued that drarges is on finishe	af Alumin m rail, loc and IS: 12 sket,deal ing,/alumi in- charg er bolt an x 5.70 = dding on e s of ACP orming gra with all ma complete	ium swing k rail, door 285-1975, angle s nium hinge, angle s nium hinge, and looking a 2.10 2.10 2.10 Total =	door of all r vertical), annodized crews etc. es, glass / ling cost of arrangment 6.30 7.88 2.52 16.70 95.19 /MS frame graving the experiphery it including eect as per P)				
	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), shiglazing clip made of Aluminium Alloy Extrusions conforming to IS:1868- 1983, fitted with all other access including labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and orgass/ panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white D1 D2 D3 Consider weight of Al-Section @ 5.70 kg Providing and fixing exterior quality Aluminium Composite P, work with GI brackets, ACP fixed on the existing frame work rear surface of ACP sheet) with CP angles, cleats and strair of ACP panel. Such grooves filled with foam and silicon seathe cost of silicon sealant), labour, scaffolding and all other specification and direction of Engineer-in-charge. (Mode of panel) with the cost of silicon sealant) and the specification and direction of Engineer-in-charge. (Mode of panel) with the cost of silicon sealant) and the specification and direction of Engineer-in-charge. (Mode of panel) with the cost of silicon sealant) and the specification and direction of Engineer-in-charge. (Mode of panel) with the cost of silicon sealant and the specification and direction of Engineer-in-charge.	fully gla utter(tr gg to IS gg to IS 3 5 1 gper Sc anel (At by fold alant etc r incider coatin	zed single le prail, botto: 733-1983 a z EPDM gridth door sprint of Engineer handle, toward 1.00 a 1.00 a 1.20 a 1	af Alumin m rail, loc and IS: 12 sket,deal ing,/alumi in- charg er bolt an x 5.70 = dding on e s of ACP orming gra with all ma complete	ium swing k rail, dool 285-1975, s, angle s nioum hinge e. (Exclud d locking a 2.10 2.10 Total = 2.10 xisting Al. powes at the tetrals (but in all respared of AC 1.50	door of all r vertical), annodized crews etc. es, glass / ling cost of arrangment 6.30 7.88 2.52 16.70 95.19 /MS frame graving the experiphery at including sect as per P)				
	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), shiglazing dip made of Aluminium Alloy Extrusions conformin conforming to IS:1868- 1983, fitted with all other access including labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and orgass/ panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white D1 D2 D3 Consider weight of Al-Section @ 5.70 kg Providing and fixing exterior quality Aluminium Composite Pawork with Gl brackets, ACP fixed on the existing frame work rear surface of ACP sheet) with CP angles, deats and striar of ACP panel. Such grooves filled with foam and silicon sea the cost of silicon sealant), labour, scaffolding and all other specification and direction of Engineer-in-charge. (Mode of page) (b) 4rmm thick (0.50mm Al.+3.0mm LDPE+0.50mm Al. PVDF ACP Board	fully glautter(to the full of	zed single lep rail, botto: 733-1983 az EPDM gr iith door spr of Engineer handle, tow 1.00 0.75 1.20 1.20 CP) wall clacking the edge eel screws fr can complete valued that drarges is on finishe	af Alumin m rail, loc and IS: 12 sket,deal ing,/alumi in- charg er bolt an x 5.70 = dding on e s of ACP orming gra with all ma complete	ium swing k rail, door 285-1975, angle s nium hinge, angle s nium hinge, and looking a 2.10 2.10 2.10 Total =	door of all r vertical), annodized crews etc. es, glass / ling cost of arrangment 6.30 7.88 2.52 16.70 95.19 /MS frame graving the experiphery it including eect as per P)				
	Supplying, fitting & fixing of partly glazed partly panelled or faluminium sections viz door frame (top and side frame), shiglazing clip made of Aluminium Alloy Extrusions conforming to IS:1868- 1983, fitted with all other access including labour charges for fitting and fixing of aluminium Panel board all complete as per architectural drawings and orgass/ panel board, door spring/ Al hinges, door closer, door etc) 10-12 Micron thickness Annodizing film Natural white D1 D2 D3 Consider weight of Al-Section @ 5.70 kg Providing and fixing exterior quality Aluminium Composite P, work with GI brackets, ACP fixed on the existing frame work rear surface of ACP sheet) with CP angles, cleats and strair of ACP panel. Such grooves filled with foam and silicon seathe cost of silicon sealant), labour, scaffolding and all other specification and direction of Engineer-in-charge. (Mode of panel) with the cost of silicon sealant) and the specification and direction of Engineer-in-charge. (Mode of panel) with the cost of silicon sealant) and the specification and direction of Engineer-in-charge. (Mode of panel) with the cost of silicon sealant) and the specification and direction of Engineer-in-charge. (Mode of panel) with the cost of silicon sealant and the specification and direction of Engineer-in-charge.	fully gla utter(tr gg to IS gg to IS 3 5 1 gper Sc anel (At by fold alant etc r incider coatin	zed single le prail, botto: 733-1983 a z EPDM gridth door sprint of Engineer handle, toward 1.00 a 1.00 a 1.20 a 1	af Alumin m rail, loc and IS: 12 sket,deal ing,/alumi in- charg er bolt an x 5.70 = dding on e s of ACP orming gra with all ma complete	ium swing k rail, dool 285-1975, s, angle s nioum hinge e. (Exclud d locking a 2.10 2.10 Total = 2.10 xisting Al. powes at the tetrals (but in all respared of AC 1.50	door of all r vertical), annodized crews etc. es, glass / ling cost of arrangment 6.30 7.88 2.52 16.70 95.19 /MS frame graving the experiphery at including sect as per P)				

	Master Mix Room	1	5.95		0.95	5.65				
	RT-PCR	1	4.75		0.95	4.51				
	Reagent preparation	1	1.65		0.95	1.57		İ		
	Post PCR Report	1	5.35		0.95	5.08	39.77	Sqm	2878.00	114458.00
	Supplying bubble free float glass of approved make and bran	id confo	orming to IS: 2	2835-1987	7.			oq	20/0.00	
	iv) 5mm thick coloured / tinted / smoke glass.									
4	Donning Area	1	2.65		1.20	3.18				
	Sample Preparation Room	1	5.70		1.20	6.84				
	Donning Area	1	3.65		1.20	4.38				
	Autoclave	1	3.30		1.20	3.96				
	Master Mix Room	1	5.95		1.20	7.14				
	RT-PCR	1	4.75		1.20	5.70				
		1	1.65		1.20	1.98				
	Reagent preparation						20.00			
	Post PCR Report	1	5.35		1.20	6.42	39.60	Sqm	585.00	23166.00
	Labour charge for fabrication and installation of composite extruded alloy aluminium sections for the following units:- (B) Partly glazed partly panelled or fully glazed single leaf alu annodized alloy aluminium sections, fabrication including cut fitted with heavy duty hydraulic action floor sping placed in dry set neoprene or EPDM gasketing, cutting to requisite sha block) fixing them with glazing dips as per drawing, specifica	Inminiu ting to p e floor v pe and	m swing door proper shape withsize panel bo	made of and size, shap oard (prela	extruded a drilling and e and size aminated p	nd I aligning, fitting with				
5	Note: Add extra for each Addl. Floor over the rate of item Installation at site	12A, 2E	3, 2C and 2D	except 2	A(VI)					
	Donning Area	1	2.65		2.70	7.16				
	Sample Preparation Room	1	5.70		2.70	15.39				
	Donning Area	1	3.65		2.70	9.86				
	Autoclave	1	3.30		2.70	8.91				
	Master Mix Room	1	5.95		2.15	12.79				
	TVESTOT TVEST TOOTT			<u> </u>						ļ.
	RT-PCR	1	4.75		2.15	10.21				
	RT-PCR Reagent preperation	1	1.65		2.15 2.15	10.21 3.55			4000.00	
	RT-PCR				2.15	10.21	79.37	Sqm.	1293.00	102619.00
6	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and bra	1	1.65 5.35	of the Eng	2.15 2.15 2.15	10.21 3.55 11.50	79.37	Sqm	1293.00	102619.00
6	RT-PCR Reagent preparation Post PCR Report	1	1.65 5.35	of the Eng	2.15 2.15 2.15	10.21 3.55 11.50	79.37 8	Sqm.	1293.00 378.00	
	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and bra	1 1 and as p	1.65 5.35 per direction		2.15 2.15 2.15	10.21 3.55 11.50	8	Each	378.00	3024.00
7	RT-PCR Reagent preperation Post PCR Report Supplying 4 lever mortice lock or any approved make and brain 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm.	1 1 and as p	1.65 5.35 per direction		2.15 2.15 2.15	10.21 3.55 11.50				3024.00
7	RT-PCR Reagent preperation Post PCR Report Supplying 4 lever mortice lock or any approved make and bra i) 150 mm. Iron butt hinges of approved quality fitted and fixed with steel	1 1 and as p	1.65 5.35 per direction		2.15 2.15 2.15	10.21 3.55 11.50	8 24	Each	378.00 43.00	3024.00 1032.00
7	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and brain 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium)	1 1 and as p	1.65 5.35 Deer direction of	rk.	2.15 2.15 2.15	10.21 3.55 11.50	8	Each	378.00	3024.00 1032.00
7	RT-PCR Reagent preperation Post PCR Report Supplying 4 lever mortice lock or any approved make and brain 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm.	1 1 and as p screws	1.65 5.35 Deer direction of the state of th	rk.	2.15 2.15 2.15	10.21 3.55 11.50	8 24 8	Each Each	378.00 43.00 70.00	3024.00 1032.00 560.00
7	RT-PCR Reagent preperation Post PCR Report Supplying 4 lever mortice look or any approved make and brain 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stance ii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered)	1 1 and as part of actions of approximately and approximately and actions of approximately and actions of approximately and actions of approximately and actions of a	1.65 5.35 Der direction of the state of the	rk.	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24	Each	378.00 43.00	3024.00 1032.00 560.00
7 3	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and brain 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stancii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered) conforming to I.S. 204/74 fitted and fixed with cadmium plates	1 1 and as part of actions of approximately and approximately and actions of approximately and actions of approximately and actions of approximately and actions of a	1.65 5.35 Der direction of the state of the	rk.	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24 8	Each Each	378.00 43.00 70.00	3024.00 1032.00 560.00
7 33	RT-PCR Reagent preperation Post PCR Report Supplying 4 lever mortice look or any approved make and brain 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stance ii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered)	1 1 and as part of actions of approximately and approximately and actions of approximately and actions of approximately and actions of approximately and actions of a	1.65 5.35 Der direction of the state of the	rk.	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24 8	Each Each	378.00 43.00 70.00	3024.00 1032.00 560.00
7 8 9	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and brain 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stancii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered) conforming to I.S. 204/74 fitted and fixed with cadmium plates (iii) 100mm long x 10mm dia. bolt. Anodised aliminium D-type handle of approved quality mo I.S. specification (I.S. 230/72) fitted and fixed complete.	1 1 screws dard fitte Heavy of appro	1.65 5.35 Der direction of the second fixed of type Toved manufacts:	complete.	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24 8	Each Each	378.00 43.00 70.00 2064.00	3024.00 1032.00 560.00
7 3 9 0	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and brain 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stance ii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered) conforming to I.S. 204/74 fitted and fixed with cadmium plates (iii) 100mm long x 10mm dia. bolt. Anodised aliminium D-type handle of approved quality makes and the provided aliminium plates (iii) 4 per	1 1 screws dard fitte Heavy of appro	1.65 5.35 Der direction of the second fixed of type Toved manufacts:	complete.	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24 8	Each Each	378.00 43.00 70.00 2064.00	3024.00 1032.00 560.00 16512.00
7 3 9 0	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and brain 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stancii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered) conforming to I.S. 204/74 fitted and fixed with cadmium plates (iii) 100mm long x 10mm dia. bolt. Anodised aliminium D-type handle of approved quality mo I.S. specification (I.S. 230/72) fitted and fixed complete.	1 1 screws dard fitte Heavy of approd d screw	1.65 5.35 Der direction of the state of the	omplete.	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24 8 8	Each Each Each	378.00 43.00 70.00 2064.00	3024.00 1032.00 560.00 16512.00
7	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice lock or any approved make and brain 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stanciii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered) conforming to I.S. 204/74 fitted and fixed with cadmium plates (iii) 100mm long x 10mm dia. bolt. Anodised aliminium D-type handle of approved quality modified to I.S. specification (I.S. 230/72) fitted and fixed complete (v) 125 mm grip x 12 mm dia rod. Supplying EPDM gusket of approved make and brand as pe	1 1 screws dard fitte Heavy of appri	1.65 5.35 Der direction of the state of the	complete. actured fro	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24 8 8	Each Each Each	378.00 43.00 70.00 2064.00	3024.00 1032.00 560.00 16512.00 424.00
7 8 9 0 11	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and brain in 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stance ii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered) conforming to I.S. 204/74 fitted and fixed with cadmium plates (iii) 100mm long x 10mm dia. bolt. Anodised aliminium D-type handle of approved quality modulised to I.S. specification (I.S. 230/72) fitted and fixed complete (v) 125 mm grip x 12 mm dia rod. Supplying EPDM gusket of approved make and brand as peliii) weather gasket / wool pile for door vertical.	1 1 screws dard fitte Heavy of appri	1.65 5.35 Der direction of the state of the	complete. actured fro	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24 8 8	Each Each Each	378.00 43.00 70.00 2064.00 53.00	3024.00 1032.00 560.00 16512.00 424.00
7	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and brain in 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stance ii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered) conforming to I.S. 204/74 fitted and fixed with cadmium plates (iii) 100mm long x 10mm dia. bolt. Anodised aliminium D-type handle of approved quality modulised to I.S. specification (I.S. 230/72) fitted and fixed complete (v) 125 mm grip x 12 mm dia rod. Supplying EPDM gusket of approved make and brand as peliii) weather gasket / wool pile for door vertical.	1 1 screws dard fitte Heavy of appri	1.65 5.35 Der direction of the state of the	complete. actured fro	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24 8 8	Each Each Each	378.00 43.00 70.00 2064.00 53.00 103.00	3024.00 1032.00 560.00 16512.00 424.00 1648.00 441320.00
7 8 9 10 11	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and brain in 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stance ii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered) conforming to I.S. 204/74 fitted and fixed with cadmium plates (iii) 100mm long x 10mm dia. bolt. Anodised aliminium D-type handle of approved quality modulised to I.S. specification (I.S. 230/72) fitted and fixed complete (v) 125 mm grip x 12 mm dia rod. Supplying EPDM gusket of approved make and brand as peliii) weather gasket / wool pile for door vertical.	1 1 screws dard fitte Heavy of appri	1.65 5.35 Der direction of the state of the	complete. actured fro	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24 8 8	Each Each Each	378.00 43.00 70.00 2064.00 53.00 103.00 19.00 Estimated Cost = Add 12% for Goods & Service	3024.00 1032.00 560.00 16512.00 424.00 1648.00 1556.00 441320.00 52958.00
6 7 8 9 110 112	RT-PCR Reagent preparation Post PCR Report Supplying 4 lever mortice look or any approved make and brain in 150 mm. Iron butt hinges of approved quality fitted and fixed with steel (vi) 100mm. X 50mm. X 1.25mm. (ii) Door stopper (Anodised aluminium) i) Hydraulic door closer of approved quality as per I.S.I. stance ii) Godrej Hydraulic door closer fitted and fixed complete. (a) Anodised aluminium barrel / tower / socket bolt (full covered) conforming to I.S. 204/74 fitted and fixed with cadmium plates (iii) 100mm long x 10mm dia. bolt. Anodised aliminium D-type handle of approved quality modulised to I.S. specification (I.S. 230/72) fitted and fixed complete (v) 125 mm grip x 12 mm dia rod. Supplying EPDM gusket of approved make and brand as peliii) weather gasket / wool pile for door vertical.	1 1 screws dard fitte Heavy of appri	1.65 5.35 Der direction of the state of the	complete. actured fro	2.15 2.15 2.15 gineer- in -C	10.21 3.55 11.50 Charge.	8 24 8 8	Each Each Each	378.00 43.00 70.00 2064.00 53.00 103.00 19.00 Estimated Cost = Add 12% for Goods & Service Tax =	102619.00 3024.00 1032.00 560.00 16512.00 424.00 1648.00 441320.00 52958.00 494278.00 4943.00

Note: All Rates are Inclusive All Taxes and Duties.
Agreed to do the work "At Par Rate" /% Below of the schedule rate /% Above of the schedule rate

SECTION - B

FORM-I

Detai	ls of the Bidder								
1.	Name of the Bidder	:							
2.	Address of the Bidder:								
3.	Telephone Number	:							
	Land Line Number	:							
	Mobile Number	:							
4.	Pan (Enclose Copy)	:							
5.	GST Registration (Enclose Copy)	:							
6.	Licence No. / Registration No. & V	'alid date:							
7.	Experience Details :								
	2	N	Da	te					
	Parties	Nature of Job	From	То					

This is to certify that the information furnished above by me / us is true and correct. I / We also certify that I/We have carefully read and understood the terms and conditions of the tender document and undertake to abide by them in the event of being awarded the contract.

Date:	
Place:	

Signature of the bidder Seal

FORM -II

B.1.PRE-QUALIFICATION APPLICATION: To. Managing Director, West Bengal Medical Services Corporation Limited N.I.T. No: ________ of West Bengal Medical Services Corporation Limited Dear Sir, Having examined the Statutory, Non statutory, Instruction to Bidders & NIT documents along with its Agenda & Corrigendum(if any), I/we hereby submit all the necessary information and relevant documents for evaluation The application is made by me / us on behalf of _____ In the Capacity _____ duly authorized to submit the order. The necessary evidence admissible by law in respect of authority assigned to us on behalf of the group of firms for application and for completion of the contract documents is attached herewith. We are interested in bidding for the work(s) given in Enclosure to this letter. We understand that: Tender Inviting & Accepting Authority/Engineer-in-Charge can amend the scope & value of the contract bid under this project. Tender Inviting & Accepting Authority/Engineer-in-Charge reserve the right to reject any application without assigning any reason. Enclo: - e-Filling:-1. Statutory Documents. 2. Non Statutory Documents.

Date: -

Signature of applicant including title

and capacity in which application is made.

FORM- III

B.3. STRUCTURE AND ORGANISATION.

B.3.1. Name of applicant::		
B.3.2. Office Address::		
Telephone No.::		
	Fax No. ::	_
B.3.3. Name & address of Bankers	S::	
B.3.4. Attach an organization char Key personnel and technical staff	ort showing the structure of the company with names of with Bio-data.	
Note: Application covers Proprieta	cary Firm, Partnership, Limited Company or Corporation,	
Date:	Signature of applicant. Including title and capacity in whic	h application is made.

FORM- IV

Print out in Agency's Letter head as stated below

DECLARATION BY THE TENDERER

I/We have inspected the site of work and have made myself/ourselves fully acquainted with local conditions in and around the site of work. I /We have carefully gone through the Notice Inviting Tender and other tender documents mentioned therein along with the drawing attached. I/We have also carefully gone through the 'Priced schedule of Probable Items and Quantities'.

My/Our tender is offered taking due consideration of all factors regarding the local site conditions stated in this Detailed Notice Inviting Tender to complete the proposed work referred to above in all respects.

I/We promise to abide by all the stipulations of the contract documents and carry out and complete the work to the satisfaction of the department.

We declare that I/We in the capacity of individual/ as a partner of a firm not debarred in the last financial year.

I/We also agree to procure tools, plants and others as per requirement, at my/our cost required for the work.

Date:	Signature of Bidder
Postal address of the Tenderer	

Name of the Firm with Seal